IN THE CLAIMS

Please cancel claims 2 to 12 in the parent application.

Please amend claim 1 as follows:

1. (CURRENTLY AMENDED) A golf ball comprising a <u>solid</u> core and a cover <u>enclosing</u> said core, wherein said cover comprises:

from less than 25 to about 10 percent by weight of at least one hard ionomer which is a sodium, zinc, magnesium or lithium salt of the copolymer of an olefin having from 2 to 8 carbon atoms and an unsaturated monocarboxylic acid having from 3 to 8 carbon atoms, wherein said hard ionomer has a hardness greater than 50 on the Shore D scale and a flexural modulus of from about 15,000 to about 70,000 psi; and,

from greater than 75 to about 90 percent by weight of at least one soft ionomer two or more soft ionomers, each of which is a sodium or zinc salt of a terpolymer of an olefin having 2 to 8 carbon atoms, acrylic acid, and an unsaturated monomer of the acrylate ester class having from 2 to 22 carbon atoms, wherein said soft ionomer has a hardness from about 20 to about 40 on the Shore D scale and a flexural modulus of from about 2,000 to 10,000 psi.

2-12. (CANCELED)

Please add new claims 13 to 30 as follows:

- 13. (NEW) The golf ball of claim 1 wherein the solid core comprises polybutadiene.
- 14. (NEW) The golf ball of claim 13 wherein the solid core further comprises a fatty acid.
- 15. (NEW) The golf ball of claim 1, wherein the at least one hard ionomer comprises a blend of two or more hard ionomers.
- 16. (NEW) The golf ball of claim 15, wherein the blend of two or more hard ionomers comprises at least one hard ionomer that is a sodium salt of the copolymer of an olefin having from 2 to 8 carbon atoms and an unsaturated monocarboxylic acid having from 3 to 8 carbon

atoms and at least one hard ionomer that is a zinc salt of the copolymer of an olefin having from 2 to 8 carbon atoms and an unsaturated monocarboxylic acid having from 3 to 8 carbon atoms.

17. (NEW) A golf ball comprising a solid core and a cover enclosing said core, wherein said cover comprises:

from less than 25 to about 10 percent by weight of two or more hard ionomers, each of which is a sodium, zinc, magnesium or lithium salt of the copolymer of an olefin having from 2 to 8 carbon atoms and an unsaturated monocarboxylic acid having from 3 to 8 carbon atoms, wherein said hard ionomer has a hardness greater than 50 on the Shore D scale and a flexural modulus of from about 15,000 to about 70,000 psi; and,

from greater than 75 to about 90 percent by weight of two or more hard ionomers, each of which is a sodium or zinc salt of a terpolymer of an olefin having 2 to 8 carbon atoms, acrylic acid, and an unsaturated monomer of the acrylate ester class having from 2 to 22 carbon atoms, wherein said soft ionomer has a hardness from about 20 to about 40 on the Shore D scale and a flexural modulus of from about 2,000 to 10,000 psi.

- 18. (NEW) The golf ball of claim 17 wherein the solid core comprises polybutadiene.
- 19. (NEW) The golf ball of claim 18 wherein the solid core further comprises a metal salt of an α , β ethylenically unsaturated carboxylic acid.
- 20. (NEW) The golf ball of claim 18 wherein the polybutadiene is a high cis-content polybutadiene.
- 21. (NEW) The golf ball of claim 18 wherein the solid core further comprises a metal oxide.
 - 22. (NEW) The golf ball of claim 18 wherein the solid core further comprises a fatty acid.

23. (NEW) A golf ball comprising a solid core and a cover enclosing said core, wherein said cover comprises:

from less than 25 to about 10 percent by weight of two or more hard ionomers, each of which is a sodium, zinc, magnesium or lithium salt of the copolymer of an olefin having from 2 to 8 carbon atoms and an unsaturated monocarboxylic acid having from 3 to 8 carbon atoms, wherein said hard ionomer has a hardness greater than 50 on the Shore D scale and a flexural modulus of from about 15,000 to about 70,000 psi; and,

from greater than 75 to about 90 percent by weight of at least one soft ionomer which is a sodium or zinc salt of a terpolymer of an olefin having 2 to 8 carbon atoms, acrylic acid, and an unsaturated monomer of the acrylate ester class having from 2 to 22 carbon atoms, wherein said soft ionomer has a hardness from about 20 to about 40 on the Shore D scale and a flexural modulus of from about 2,000 to 10,000 psi.

- 24. (NEW) The golf ball of claim 23, wherein at least one of the hard ionomers is a sodium salt of the copolymer of an olefin having from 2 to 8 carbon atoms and an unsaturated monocarboxylic acid having from 3 to 8 carbon atoms.
- 25. (NEW) The golf ball of claim 23, wherein at least one of the hard ionomers is a zinc salt of the copolymer of an olefin having from 2 to 8 carbon atoms and an unsaturated monocarboxylic acid having from 3 to 8 carbon atoms.
- 26. (NEW) The golf ball of claim 23, wherein the at least one soft ionomer comprises a blend of two or more soft ionomers.
 - 27. (NEW) The golf ball of claim 23 wherein the solid core comprises polybutadiene.
 - 28. (NEW) The golf ball of claim 27 wherein the solid core further comprises a fatty acid.
- 29. (NEW) The golf ball of claim 27 wherein the solid core further comprises a metal oxide.

30. (NEW) The golf ball of claim 27 wherein the solid core further comprises a metal salt of an α , β ethylenically unsaturated carboxylic acid.